



# ZULULAND

SAFETY WELDING  
EQUIPMENT

# CATALOGUE



## HARD HATS

R \*\*\*\*

The adjustable one size fits all features a 6 point suspension with a cable management system designed to adapt to your jobsite.



## NIKKI HARD HAT

R\*\*\*\*

The Nikki hard hat features high dielectric strength with excellent rigidity for your personal protection. The hard hat allows for a quick and easy fit with an adjustable ratchet.



## SAFETY BOOT

R\*\*\*\*

Steel toe-cap and mid sole, Upper bartan print leather inner sole, Sole resistant of 90°C, Oil/stroke resistant, Crack resistant, anti static, Size: UK 3-14



## FACE SHIELD

R \*\*\*\*

Clear Polycarbonate visor  
One size fits all  
Thickness: 2mm  
Size: 190mm x 210mm  
High impact 120m/s



## WELDING HELMET

R \*\*\*\*

STANDARD FRONT FLIP  
Standard flip front helmet  
Spare headgear and lens available  
Adjustable head band



## COMBINATION KIT

R \*\*\*\*

WELDING CUTTING KIT  
Suitable for cutting up to 200mm & a welding capacity of 9mm  
Ideal kit for precise cutting, welding, soldering & brazing applications.

[SHOP NOW](#)



Contact Us  
+27 65 376 1647



Visit Us  
[www.zululandwse.com](http://www.zululandwse.com)



NITRO-CHEM GLOVE R \*\*\*\*



CHEMICAL BI COLOR NEO LATEX R \*\*\*\*



COTTON - 450GM R \*\*\*\*



COTTON POLKA DOT - DOUBLE SIDED R \*\*\*\*



CUTMASTER CHALLENGER R \*\*\*\*



CUTMASTER CHALLENGER R \*\*\*\*



FLEX LOTUS-172 R \*\*\*\*



FLEX SNUG PLUZ R \*\*\*\*



HOUSEHOLD R \*\*\*\*



CHEMICAL BLUE NITRILE HOUSEHOLD R \*\*\*\*



LATEX DIPPED GRIPPER R\*\*\*\*



COMAREX R\*\*\*\*



LEATHER DURABLE RIGGER - HI-VISION R \*\*\*\*



LEATHER BLUE LINED DOUBLE PALM R \*\*\*\*



MAXMAC IMPAX R\*\*\*\*



MAXMAC TOUGH HAND R\*\*\*\*

**SHOP NOW**



Contact Us  
+27 65 376 1647



Visit Us  
[www.zululandwse.com](http://www.zululandwse.com)



**NITRILE FULLY DIPPED - GAUNTLET** R \*\*\*\*



**NITRILE FULLY DIPPED - NAVY** R\*\*\*\*



**PU INSPECTOR - BLACK** R \*\*\*\*



**ANTI STATIC PU** R \*\*\*\*



**PVC RED TERRYCLOTH PALM - 27CM** R \*\*\*\*



**PVC ORANGE REINFORCED** R \*\*\*\*



**TOUGH AIR CUSHIONED** R \*\*\*\*



**TOUGH RIGGER 143** R \*\*\*\*



**COMMANDER SAFETY BOOT - BLACK** R \*\*\*\*

Fabrication: bartan print leather upper inner sole, duel density polyurethane sole  
Oil resistant duel density PU  
Crack resistant  
Size: UK 3-14



**SECURITY BOOT** R \*\*\*\*

Padded tongue and collar for increased comfort, sole resistant of 90°C.  
Slip resistant  
Crack resistant  
Anti static  
Size: UK 3-14



**GUM BOOT - NON STEEL TOE** R \*\*\*\*

GUM BOOT - NON STEEL TOE



**GUM BOOT - STEEL TOE** R \*\*\*\*

GUM BOOT - STEEL TOE



**VOLUME - CORDED SILICONE REUSABLE EARPLUG** R\*\*\*\*

CORDED SILICONE REUSABLE EARPLUG



**VOLUME - REUSABLE CORDED EARPLUGS** R\*\*\*\*

REUSABLE CORDED EARPLUGS



**VOLUME - HI-VIS BULLET EAR PLUGS** R\*\*\*\*

HI-VIS BULLET EAR PLUGS



**EAR PLUGS - DISPOSABLE CORDED** R\*\*\*\*

- Item Code: EP001-1
- Disposable corded ear plug
- Material: Foamed PU
- Approved to EN352-2
- Standard noise reduction 34db
- Pack: 100 in a box

**SHOP NOW**



Contact Us  
+27 65 376 1647



Visit Us  
www.zululandwse.com



**3 PLY BLACK FACE MASK** R \*\*\*\*

Material : Non woven meltblown  
Hidden adjustable nose clip  
Latex free ear loops reduce irritation and pressure on the ears  
Lightweight and comfortable  
Pack: 50 in a box



**DUST MASK -FFP1** R \*\*\*\*

Main body construction:  
1st non woven PET  
2nd Meltblownfilter fabric  
3rd Meltblown needle punch  
Aluminium nose clip, with foam nose seal  
Suitable for cutting, sanding and drilling



**DUST MASK FFP2 VALVE** R \*\*\*\*

1st non woven PET  
2nd Meltblownfilter fabric  
3rd Meltblown needle punch  
Inner foam seal for comfort  
Adjustable head straps



**DUST MASK FFP3 VALVE** R \*\*\*\*

1st non woven PET  
2nd Meltblownfilter fabric  
3rd Meltblown needle punch  
Inner foam seal for comfort  
Adjustable head straps



**DOUBLE RESPIRATOR - HALF MASK** R\*\*\*\*

Continuous exhalation flow of 300 l/min over a period of 30s  
95.8 g with no cartridge assembly.  
<5 % of the inhaled air & mean result not exceeds 2%.



**SINGLE RESPIRATOR - HALF MASK** R\*\*\*\*

The RS005 half mask design entails a high-performance exhalation valve, situated in a black PVC (Polyvinyl chloride) body, that has a soft seal on the face with a dual elastic head band complete and large quick release toggles for ease of putting on and taking off when used with gloves.



**P2 DUST FILTER - PARTICLE FILTER** R\*\*\*\*

Improper use cause serious injury harm to your health or may cause death.  
P2(colour code: White)-class 2, for use against Dust/Particle



**A1 DUST FILTER CARTRIDGE** R\*\*\*\*

>65°. E1 – class 1, for use against sulphur dioxide and other acid gas/papers.  
>Pioneer A1 dust filter cartridge of use with gases and vapours offer premium protection against vapours and gases in industrial environments.



**SIGNALLING VEST - ORANGE** R\*\*\*\*

High visibility  
100% Polyester 120gsm  
50mm class 2 reflective tape  
Size: S - 5XL



**SIGNALLING VEST - RED** R \*\*\*\*

High visibility  
100% Polyester 120gsm  
50mm class 2 reflective tape  
Size: S - 5XL



**REFLECTIVE JACKET - SLEEVELESS** R\*\*\*\*

High visibility lime / orange  
100% Polyester 120gsm  
50mm class 2 reflective tape  
Sizes S - 4XL



**METRO TRAFFIC JACKET R \*\*\*\***

V025 - long sleeve  
V027 - sleeveless  
V030 - detachable sleeves  
High visibility lime / orange  
Size: S - 4XL



**REFLECTIVE JACKET - DETACHABLE SLEEVES** R \*\*\*\*

High visibility lime / orange  
100% Polyester 120gsm  
50mm class 2 reflective tape  
Sizes S - 4XL



**SOLID BIB - LIME** R \*\*\*\*

High visibility  
20mm class 2 reflective tape  
Material: Polyester mesh 50gsm



**PREMIUM BIB** R \*\*\*\*

High visibility, heavy duty lime bib  
20mm class 2 reflective tape  
Velcro attachment  
Size: 57 x 39cm



**ADJUSTABLE BIB** R \*\*\*\*

High visibility lime vest  
Five way adjustable  
Velcro attachment  
White PVC reflective tape



**REFLECTIVE TAPE 50M ROLL** R \*\*\*\*

EP018: White PVC | 5cm tape | 50m roll  
EP019: Lime PVC | 5cm tape | 50m roll



**REFLECTIVE TAPE 100M ROLL - LIME** R \*\*\*\*

EP010: Lime/silver | 5x2cm tape | 100m Roll  
EP012: Orange/silver | 5x2cm tape | 100m  
Pack: 50 in a box



**REFLECTIVE TAPE 200M ROLL** R \*\*\*\*

EP017: SILVER | 5CM TAPE | 200M ROLL  
PACK: 10 IN A BOX



**VISION CLASSIC POLYCARBONATE LENS** R \*\*\*\*

Soft nose seat for comfort  
Sleek new design  
Scratch resistant  
Compatible with respiratory equipment



**VISION MAXI VIEW** R \*\*\*\*

Maxi View Goggle  
Clear Polycarbonate Lens  
25mm elasticated adjustable headband  
High quality vinyl frame



**VISION DIRECT VENT GOGGLES** R \*\*\*\*

Clear Polycarbonate Lens  
One size fits all  
Compatible with respiratory equipment  
Scratch resistant anti fog lens



**VISION INDIRECT VENT GOGGLES** R \*\*\*\*

Clear Polycarbonate Lens  
One size fits all  
Indirect dual ventilation system  
Compatible with respiratory equipment



**VISION EURO SPEC** R \*\*\*\*

Polycarbonate Mono Lens  
Vinyl adjusted temples  
Ergonomic design ensures a snug fit  
Fits with respiratory equipment



**PANORAMIC TRUE COLOUR** R \*\*\*\*

Independent arc sensors with adjustable sensitivity and delay controls  
Safer and more comfortable with auto darkening window



**OPTI VIEW ELITE** R \*\*\*\*

Suitable for MIG, TIG & Stick welding.  
Solar Powered auto darkening lens, ANSI approved.



**FACE SHIELD PREMIUM** R \*\*\*\*

Polycarbonate visor  
Thickness: 2mm  
Size: 190mm x 210mm



**OXYGEN REGULATOR** R \*\*\*\*

Forged brass body for strength  
Extended stem with 3/8 R/H oxygen and 3/8 L/H Acetylene outlet threads.  
Gauge protectors  
Available in Single and Multi Stage



**LPG BURNER** R \*\*\*\*

19mm/25mm/29mm/32mm/42mm  
200kpa Operating Pressure



**ACETYLENE REGULATOR** R \*\*\*\*

Forged brass body for strength  
Extended stem with 3/8 R/H oxygen and 3/8 L/H Acetylene outlet threads.  
Gauge protectors  
Available in Single and Multi Stage



**GAS CYLINDER TROLLEY** R \*\*\*\*

Available in single, double, LPG 19kg, LPG 48kg

**SHOP NOW**



Contact Us  
+27 65 376 1647



Visit Us  
www.zululandwse.com



**MIG WIRE ER70S-6 15KG R\*\*\*\***

MIG WIRE ER70S -6 0.8MM  
MIG WIRE ER70S -6 0.9MM  
MIG WIRE ER70S -6 1.0MM  
MIG WIRE ER70S -6 1.2MM  
MIG WIRE ER70S -6 1.6MM

**E71T-1 MILD STEEL FLUX CORED MIG WIRE GASSLESS 1KG R\*\*\*\***


E71T-1 MILD STEEL FLUX CORED MIG WIRE  
0.9mm Gassless

**ALUMINIUM BRAZING FLUX 250G R\*\*\*\***

ALUMINIUM BRAZING FLUX 250G

**BRONZE BRAZING FLUX 500G R\*\*\*\***

BRONZE BRAZING FLUX 500G



**TRANSARC MILD STEEL E6013 5KG R\*\*\*\***

TRANSARC MILD STEEL E6013 2.5MM 5KG PACK  
TRANSARC MILD STEEL E6013 3.2MM 5KG PACK  
TRANSARC MILD STEEL E6013 4.0MM 5KG PACK

**VITAMAX MILD STEEL E6013 5KG R\*\*\*\***



High visibility  
100% Polyester 120gsm  
50mm class 2 reflective tape  
Size: S - 5XL

**COLLET BODY R\*\*\*\***

COLLET BODY

**TUNGSTEN ELECTRODE ZINCONIATED R\*\*\*\***

STAINLESS & MILD STEEL  
TUNGSTEN ELECTRODE 2% ZIRCONIATED 1.6mm x 150mm WHITE TIP  
TUNGSTEN ELECTRODE 2% ZIRCONIATED 2.4mm x 150mm WHITE TIP  
TUNGSTEN ELECTRODE 2% ZIRCONIATED 3.2mm x 150mm WHITE TIP  
TUNGSTEN ELECTRODE 2% ZIRCONIATED 4.0mm x 150mm WHITE TIP



**STAINLESS STEEL E308L 5KG R\*\*\*\***

E308L X 2.5MM  
E308L X 3.2MM  
E308L X 4.0MM

**STAINLESS STEEL E316L 5KG R\*\*\*\***

E316L X 2.5MM  
E316L X 3.2MM  
E316L X 4.0MM

**GAS BOTTLE TROLLEY R\*\*\*\***

Single & Double